

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/869,215	08/11/2003	Boaz Porat	83143	1259
7590 05/01/2006			EXAMINER	
Welsh & Katz			DEPPE, BETSY LEE	
22nd Floor 120 South Riverside Plaza			ART UNIT	PAPER NUMBER
Chicago, IL 60606-3913			2611	

DATE MAILED: 05/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/869,215	PORAT ET AL.
Office Action Summary	Examiner	Art Unit
	Betsy L. Deppe	2611
The MAILING DATE of this communication a Period for Reply		th the correspondence address
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory peri - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 1.136(a). In no event, however, may a re od will apply and will expire SIX (6) MON tute, cause the application to become AB	CATION. The ply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 21 This action is FINAL . 2b) ☐ To 3) ☐ Since this application is in condition for allow closed in accordance with the practice under the state of th	his action is non-final. wance except for formal matte	• •
Disposition of Claims		
4) ☐ Claim(s) 1-11,15-19 and 21 is/are pending in 4a) Of the above claim(s) is/are withd 5) ☐ Claim(s) 1-7,19 and 21 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) 8-11 and 15-18 is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.	
Application Papers		
9) ☐ The specification is objected to by the Exami 10) ☐ The drawing(s) filed on 14 November 2005 is Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction. 11) ☐ The oath or declaration is objected to by the	s/are: a)⊠ accepted or b)⊠ he drawing(s) be held in abeyan ection is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreignation a) All b) Some * c) None of: 1. Certified copies of the priority documes 2. Certified copies of the priority documes 3. Copies of the certified copies of the priority documes application from the International Burst * See the attached detailed Office action for a life section.	ents have been received. ents have been received in Apriority documents have been eau (PCT Rule 17.2(a)).	oplication No received in this National Stage
Attachment(s)	_	
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date 7/29/05. 	Paper No(s	ummary (PTO-413))/Mail Date formal Patent Application (PTO-152)

Art Unit: 2611

DETAILED ACTION

Response to Arguments

- 1. Applicant's arguments, see the first full paragraph on the second page of the remarks, filed February 21, 2006, with respect to claims 1-11, 15-19 and 21 have been fully considered and are persuasive. The rejection of August 5, 2005 has been withdrawn.
- 2. The Examiner notes that although the first page of the response filed February 21, 2006 includes the correct serial number (09/869,215) of the application, the subsequent pages include a typographical error in the header (i.e. application number 10/131,957).

Drawings

- 3. Drawings were received on November 14, 2005 and February 21, 2006. The drawings filed November 14, 2005 are acceptable. The drawings filed February 21, 2006 are not acceptable because of typographical errors and the pages are not labeled as "Replacement Sheet" in the header.
- 4. The drawings are objected to because the elements in Figure 6 should be labeled so that one viewing the drawings may understand the subject matter of the claimed invention without referring to the detailed description.

Application/Control Number: 09/869,215 Page 3

Art Unit: 2611

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

5. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: the specification does not describe an xDSL modem comprised of all the limitations as recited in claim 19. According to the detailed description, the generating means and modulating means in claim 19, lines 2-7 comprise one modem while the limitations on lines 9-22 comprise another modem.

Application/Control Number: 09/869,215 Page 4

Art Unit: 2611

Claim Objections

6. Claims 8 and 9 are objected to because of the following informalities:

a. in claim 8, line 16, "corresponding" should be deleted;

b. in claim 8, line 18, "the xDSL user modem" should be "the *corresponding*

xDSL user modem";

c. in claim 8, line 19, "the corresponding xDSL modem within the central

office" should be "the xDSL user modem"; and

d. in claim 9, line 12, "the received demodulated" should be "the

demodulated received."

e. The respective dependent claims are also objected to for the same

reasons.

Appropriate correction is required.

Allowable Subject Matter

7. Claims 1-11, 15-19 and 21 are allowed.

8. The following is an examiner's statement of reasons for allowance: prior art of

record does not teach or suggests in combination a method or system of data transfer

between two modems wherein a wake-up bit pattern which identifies the corresponding

modem is used to switch a modem from a sleep mode to an operation mode as recited

in the respective independent claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

9. This application is in condition for allowance except for the following formal matters: objections to the drawings, specification and claims.

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Betsy L. Deppe whose telephone number is (571) 272-3054. The examiner can normally be reached on Monday, Tuesday and Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Application/Control Number: 09/869,215

Art Unit: 2611

Page 6

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


11. Please note that this application is now assigned to Art Unit 2611.

Betsy E. Deppe Primary Examiner Art Unit 2611





FIG 1



PRIOR ART



Atty: Doc. No. 6521-83143
Filed: February 13, 2001
Title: System and Method for Serial No.: 09/869,215
FIG. 1
Replacement Sheet 1 of 6





FIG 1



PRIOR ART